NSN 5136-01-083-6592

Thread Cutting Tap - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5136-01-083-6592

Thread Pitch Diameters:
+1.2594/+1.2604 inches
Thread Direction:
Right-hand
Thread Length:
Between 2.906 inches and 3.094 inches
Shank Diameter:
Between 1.106 inches and 1.110 inches
Width Across Flats:
Between 0.823 inches and 0.831 inches
Overall Length:
Between 6.000 inches and 6.124 inches
Flute Quantity:
4
Thread Structure:
Regular
Thread Forming Method:
Ground
Starting Chamfer Type:
Bottoming
Square End Length:
Square End Length: Between 1.000 inches and 1.124 inches
Between 1.000 inches and 1.124 inches
Between 1.000 inches and 1.124 inches Material And Location:
Between 1.000 inches and 1.124 inches Material And Location: Steel, high speed
Between 1.000 inches and 1.124 inches Material And Location: Steel, high speed Style Designator:
Between 1.000 inches and 1.124 inches Material And Location: Steel, high speed Style Designator: Straight flute
Between 1.000 inches and 1.124 inches Material And Location: Steel, high speed Style Designator: Straight flute Thread Size And Series/type Designator:
Between 1.000 inches and 1.124 inches Material And Location: Steel, high speed Style Designator: Straight flute Thread Size And Series/type Designator: 1.312-12 un
Between 1.000 inches and 1.124 inches Material And Location: Steel, high speed Style Designator: Straight flute Thread Size And Series/type Designator: 1.312-12 un Specification Or Standard:
Between 1.000 inches and 1.124 inches Material And Location: Steel, high speed Style Designator: Straight flute Thread Size And Series/type Designator: 1.312-12 un Specification Or Standard: I type and c series and c style and 1-5/16-12 size
Between 1.000 inches and 1.124 inches Material And Location: Steel, high speed Style Designator: Straight flute Thread Size And Series/type Designator: 1.312-12 un Specification Or Standard: I type and c series and c style and 1-5/16-12 size Departure From Cited Designator:
Between 1.000 inches and 1.124 inches Material And Location: Steel, high speed Style Designator: Straight flute Thread Size And Series/type Designator: 1.312-12 un Specification Or Standard: I type and c series and c style and 1-5/16-12 size Departure From Cited Designator: Modified by thread size and series/type designator
Between 1.000 inches and 1.124 inches Material And Location: Steel, high speed Style Designator: Straight flute Thread Size And Series/type Designator: 1.312-12 un Specification Or Standard: I type and c series and c style and 1-5/16-12 size Departure From Cited Designator: Modified by thread size and series/type designator Shelf Life:
Between 1.000 inches and 1.124 inches Material And Location: Steel, high speed Style Designator: Straight flute Thread Size And Series/type Designator: 1.312-12 un Specification Or Standard: I type and c series and c style and 1-5/16-12 size Departure From Cited Designator: Modified by thread size and series/type designator Shelf Life: N/a
Between 1.000 inches and 1.124 inches Material And Location: Steel, high speed Style Designator: Straight flute Thread Size And Series/type Designator: 1.312-12 un Specification Or Standard: I type and c series and c style and 1-5/16-12 size Departure From Cited Designator: Modified by thread size and series/type designator Shelf Life: N/a
Between 1.000 inches and 1.124 inches Material And Location: Steel, high speed Style Designator: Straight flute Thread Size And Series/type Designator: 1.312-12 un Specification Or Standard: I type and c series and c style and 1-5/16-12 size Departure From Cited Designator: Modified by thread size and series/type designator Shelf Life: N/a Unit Of Measure:
Between 1.000 inches and 1.124 inches Material And Location: Steel, high speed Style Designator: Straight flute Thread Size And Series/type Designator: 1.312-12 un Specification Or Standard: I type and c series and c style and 1-5/16-12 size Departure From Cited Designator: Modified by thread size and series/type designator Shelf Life: N/a Unit Of Measure: Demilitarization: