## NSN 5305-00-013-0308



Machine Screw - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5305-00-013-0308 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 0.270 inches and 0.312 inches **Fastener Length:** Between 0.281 inches and 0.312 inches **Head Style:** Pan **Head Diameter:** Between 0.180 inches and 0.193 inches **Head Height:** Between 0.062 inches and 0.071 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.099 inches Thready Qty Per Inch (tpi): 48 **Screw Material:** Steel comp 410 or steel comp 416 **Screw Material Specification:** Qq-s-763 federal specification all material responses **Screw Surface Treatment:** Oxide **Screw Surface Treatment Specification:** Mil-c-13924 military specification single treatment response **Thread Series Designator:** Unc **Specification Or Standard:** 3 type and 9c style **Departure From Cited Designator:** As modified by material and surface treatment

Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A500d0

## NSN 5305-00-013-0308

Machine Screw - Page 2 of 2



Mil-std (military Standard):

Mil-c-13924 spec.