

View Online at <https://aerobasegroup.com/nsn/5305-00-013-4159>

Thread Class:

2a

Thread Direction:

Right-hand

Thread Length:

0.312 inches

Fastener Length:

0.312 inches

Head Style:

Oval countersunk

Head Diameter:

Between 0.257 inches and 0.279 inches

Internal Drive Style:

Slot

Thread Diameter:

0.138 inches

Thready Qty Per Inch (tpi):

32

Countersink Angle:

Between 80.0 degrees and 82.0 degrees

Screw Material Specification:

Qq-s-630 federal specification 1st material response or qq-s-630 federal specification 2nd material response or qq-s-630 federal specification 3rd material response or qq-s-630 federal specification 4th material response or qq-s-630 federal specification 5th material response or qq-s-631 federal specification all material responses or qq-s-631 federal specification 6th material response or qq-s-631 federal specification 7th material response or qq-s-631 federal specification 8th material response or qq-s-631 federal specification 9th material response or qq-s-631 federal specification 10th material response or qq-s-631 federal specification 11th material response or qq-s-634 federal specification 12th material response or qq-s-634 federal specification 13th material response or qq-s-634 federal specification 14th material response or qq-s-634 federal specification 15th material response or qq-s-634 federal specification 16th material response or qq-s-634 federal specification 17th material response

Screw Surface Treatment:

Cadmium or zinc

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A500d0