NSN 5305-00-015-1049

Wood Screw - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5305-00-015-1049

| Fastener Length: 2.500 inches Head Style: Round Head Diameter: Between 0.429 inches and 0.457 inches Head Height: Between 0.155 inches and 0.170 inches Internal Drive Style: Cross recess type 1 Nonmachine Thread Style: Gimlet point (type a, ab or ba) Nonmachine Thread Diameter: 0.242 inches Material: Copper alloy Material Specification: Qq-b-613, comp 6 or 7 federal specification single material response or qq-b-626, comp 6 or 7 federal specification single material response Shelf Life: N/a Unit Of Measure: | |
|---|-------|
| Head Style: Round Head Diameter: Between 0.429 inches and 0.457 inches Head Height: Between 0.155 inches and 0.170 inches Internal Drive Style: Cross recess type 1 Nonmachine Thread Style: Gimlet point (type a, ab or ba) Nonmachine Thread Diameter: 0.242 inches Material: Copper alloy Material Specification: Qq-b-613, comp 6 or 7 federal specification single material response or qq-b-626, comp 6 or 7 federal specification single material response Shelf Life: N/a | |
| Round Head Diameter: Between 0.429 inches and 0.457 inches Head Height: Between 0.155 inches and 0.170 inches Internal Drive Style: Cross recess type 1 Nonmachine Thread Style: Gimlet point (type a, ab or ba) Nonmachine Thread Diameter: 0.242 inches Material: Copper alloy Material Specification: Qq-b-613, comp 6 or 7 federal specification single material response or qq-b-626, comp 6 or 7 federal specification single material response Shelf Life: N/a | |
| Head Diameter: Between 0.429 inches and 0.457 inches Head Height: Between 0.155 inches and 0.170 inches Internal Drive Style: Cross recess type 1 Nonmachine Thread Style: Gimlet point (type a, ab or ba) Nonmachine Thread Diameter: 0.242 inches Material: Copper alloy Material Specification: Qq-b-613, comp 6 or 7 federal specification single material response or qq-b-626, comp 6 or 7 federal specification single material response Shelf Life: N/a | |
| Between 0.429 inches and 0.457 inches Head Height: Between 0.155 inches and 0.170 inches Internal Drive Style: Cross recess type 1 Nonmachine Thread Style: Gimlet point (type a, ab or ba) Nonmachine Thread Diameter: 0.242 inches Material: Copper alloy Material Specification: Qq-b-613, comp 6 or 7 federal specification single material response or qq-b-626, comp 6 or 7 federal specification single material response Shelf Life: N/a | |
| Head Height: Between 0.155 inches and 0.170 inches Internal Drive Style: Cross recess type 1 Nonmachine Thread Style: Gimlet point (type a, ab or ba) Nonmachine Thread Diameter: 0.242 inches Material: Copper alloy Material Specification: Qq-b-613, comp 6 or 7 federal specification single material response or qq-b-626, comp 6 or 7 federal specification single material response Shelf Life: N/a | |
| Between 0.155 inches and 0.170 inches Internal Drive Style: Cross recess type 1 Nonmachine Thread Style: Gimlet point (type a, ab or ba) Nonmachine Thread Diameter: 0.242 inches Material: Copper alloy Material Specification: Qq-b-613, comp 6 or 7 federal specification single material response or qq-b-626, comp 6 or 7 federal specification single material response Shelf Life: N/a | |
| Internal Drive Style: Cross recess type 1 Nonmachine Thread Style: Gimlet point (type a, ab or ba) Nonmachine Thread Diameter: 0.242 inches Material: Copper alloy Material Specification: Qq-b-613, comp 6 or 7 federal specification single material response or qq-b-626, comp 6 or 7 federal specification single material response Shelf Life: N/a | |
| Cross recess type 1 Nonmachine Thread Style: Gimlet point (type a, ab or ba) Nonmachine Thread Diameter: 0.242 inches Material: Copper alloy Material Specification: Qq-b-613, comp 6 or 7 federal specification single material response or qq-b-626, comp 6 or 7 federal specification single material response Shelf Life: N/a | |
| Nonmachine Thread Style: Gimlet point (type a, ab or ba) Nonmachine Thread Diameter: 0.242 inches Material: Copper alloy Material Specification: Qq-b-613, comp 6 or 7 federal specification single material response or qq-b-626, comp 6 or 7 federal specification single material response Shelf Life: N/a | |
| Gimlet point (type a, ab or ba) Nonmachine Thread Diameter: 0.242 inches Material: Copper alloy Material Specification: Qq-b-613, comp 6 or 7 federal specification single material response or qq-b-626, comp 6 or 7 federal specification single material response Shelf Life: N/a | |
| Nonmachine Thread Diameter: 0.242 inches Material: Copper alloy Material Specification: Qq-b-613, comp 6 or 7 federal specification single material response or qq-b-626, comp 6 or 7 federal specification single material response or qq-w-321 federal specification single material response Shelf Life: N/a | |
| 0.242 inches Material: Copper alloy Material Specification: Qq-b-613, comp 6 or 7 federal specification single material response or qq-b-626, comp 6 or 7 federal specification single material response or qq-w-321 federal specification single material response Shelf Life: N/a | |
| Material: Copper alloy Material Specification: Qq-b-613, comp 6 or 7 federal specification single material response or qq-b-626, comp 6 or 7 federal specification single material response or qq-w-321 federal specification single material response Shelf Life: N/a | |
| Copper alloy Material Specification: Qq-b-613, comp 6 or 7 federal specification single material response or qq-b-626, comp 6 or 7 federal specification single material response or qq-w-321 federal specification single material response Shelf Life: N/a | |
| Material Specification: Qq-b-613, comp 6 or 7 federal specification single material response or qq-b-626, comp 6 or 7 federal specification single material response or qq-w-321 federal specification single material response Shelf Life: N/a | |
| Qq-b-613, comp 6 or 7 federal specification single material response or qq-b-626, comp 6 or 7 federal specification single material response or qq-w-321 federal specification single material response Shelf Life: N/a | |
| or qq-w-321 federal specification single material response Shelf Life: N/a | |
| Shelf Life: N/a | ponse |
| N/a | |
| | |
| Unit Of Measure: | |
| | |
| | |
| Demilitarization: | |
| No | |
| Fiig: | |
| A003b0 | |