NSN 5305-00-022-2954

Hexagon Head Cap Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-022-2954 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 1.000 inches and 1.188 inches **Fastener Length:** 2.000 inches **Head Style:** Hexagon **Head Height:** Between 0.226 inches and 0.243 inches Width Between Flats: Between 0.551 inches and 0.562 inches **Shank Unthreaded Hole Diameter:** 0.107 inches first hole **Thread Diameter:** 0.375 inches Thready Qty Per Inch (tpi): 24 Min. Tensile Strength (psi): 55000 pounds per square inch **Hardness Rating:** 95.5 rockwell b and 100.0 rockwell b Minimum Yield Strength: 55000 pounds per square inch Distance From Head Largest Bearing Surface To Shank Hole Center: 1.844 inches first hole **Special Features:** 2nd reply min tensile strength 69000 psi Material: Steel **Material Specification:** Sae gr 1 or 2 assn standard single material response **Thread Series Designator:** Unf Shelf Life: N/a **Unit Of Measure: Demilitarization:**

No

NSN 5305-00-022-2954

Hexagon Head Cap Screw - Page 2 of 2



Fiig:

A003b0