NSN 5305-00-022-6779

Machine Screw - Page 1 of 1

No Fiig: A500d0



View Online at https://aerobasegroup.com/nsn/5305-00-022-6779 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 0.262 inches and 0.312 inches **Fastener Length:** Between 0.281 inches and 0.312 inches **Head Style:** Flat countersunk **Head Diameter:** Between 0.220 inches and 0.252 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.125 inches Thready Qty Per Inch (tpi): 40 **Countersink Angle:** Between 80.0 degrees and 82.0 degrees **Screw Material:** Steel comp 1010 or steel comp m1012 or steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020 **Screw Material Specification:** Sae assn standard all material responses **Screw Surface Treatment:** Cadmium or zinc **Screw Surface Treatment Specification:** Qq-p-416, type 1, cl 3 federal specification 1st treatment response or qq-z-325, type 1, cl 3 federal specification 2nd treatment response **Thread Series Designator:** Unc Shelf Life: N/a **Unit Of Measure:** Demilitarization: