NSN 5305-00-053-5458

Machine Screw - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5305-00-053-5458 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.338 inches **Fastener Length:** Between 2.948 inches and 2.978 inches **Head Style:** Pan **Head Diameter:** Between 0.306 inches and 0.322 inches **Head Height:** Between 0.105 inches and 0.115 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.164 inches Thready Qty Per Inch (tpi): Min. Tensile Strength (psi): 160000 pounds per square inch **Screw Material:** Steel comp e4340 or steel comp 4140 or steel comp 8740 or steel comp 8735 or steel comp 6150 **Screw Material Specification:** Mil-s-5000 military specification 1st material response or mil-s-5000 military specification 1st material response or mil-s-5626 military specification 2nd material response or mil-s-6049 military specification 3rd material response or mil-s-6098 military specification 4th material response or mil-s-8503 military specification 5th material response **Thread Series Designator:** Unc **Specification Data:** 80205-nas1402 professional/industrial association standard Shelf Life: N/a **Unit Of Measure: Demilitarization:** No

Mil-std (military Standard): Mil-s-5000 spec.

Fiig: A500d0