## NSN 5305-00-058-7806

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-058-7806

Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
Between 0.647 inches and 0.750 inches
Fastener Length:
Between 0.781 inches and 0.812 inches
Head Style:
Flat countersunk
Head Diameter:
Between 0.300 inches and 0.332 inches
Internal Drive Style:
Cross recess type 1
Thread Diameter:
0.164 inches
Thready Qty Per Inch (tpi):
32
Min. Tensile Strength (psi):
62000 pounds per square inch
Countersink Angle:
Between 99.0 degrees and 101.0 degrees
Screw Material:
Aluminum alloy 2024
Screw Material Specification:
Qq-a-200/3 federal specification single material response or qq-a-225/6 federal specification single material response
Screw Surface Treatment:
Anodize
Screw Surface Treatment Specification:
Mil-a-8625 military specification single treatment response
Thread Series Designator:
Unc
Specification Or Standard:
3 type and 3c style
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Filg:
A500d0

## NSN 5305-00-058-7806

Machine Screw - Page 2 of 2



Mil-std (military Standard):

Mil-a-8625 spec.