NSN 5305-00-061-7270

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-061-7270

iew Online at https://aeiobasegioup.com/hsi//3303-00-001-7270	
hread Class:	
a	
hread Direction:	
light-hand	
hread Length:	
.750 inches	
astener Length:	
etween 5.156 inches and 5.250 inches	
lead Style:	
lound	
lead Diameter:	
etween 0.334 inches and 0.359 inches	
lead Height:	
etween 0.123 inches and 0.137 inches	
nternal Drive Style:	
cross recess type 1	
hread Diameter:	
.190 inches	
hready Qty Per Inch (tpi):	
2	
lin. Tensile Strength (psi):	
0000 pounds per square inch	
crew Material:	
teel comp 1010	
crew Material Specification:	
q-s-630 federal specification single material response or qq-s-631 federal specification single material	response or qq-s-634 federal
pecification single material response	
crew Surface Treatment:	
Cadmium	
crew Surface Treatment Specification:	
Q-p-416, type 2, class 3 federal specification single treatment response	
hread Series Designator:	
Inf	
pecification Or Standard:	
type and 1s style	
eparture From Cited Designator:	
s modified by fastener length and material	
helf Life:	
l/a	
Init Of Measure:	
emilitarization:	
lo	

NSN 5305-00-061-7270 Machine Screw - Page 2 of 2

Fiig: A500d0

