NSN 5305-00-061-9139



Close Tolerance Screw - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5305-00-061-9139 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.270 inches **Fastener Length:** 1.688 inches **Head Style:** Flat chamfer **Head Diameter:** Between 0.3737 inches and 0.3742 inches **Head Height:** Between 0.253 inches and 0.273 inches **Grip Diameter:** Between 0.2487 inches and 0.2492 inches **Shank Unthreaded Hole Diameter:** 0.076 inches first hole and 0.086 inches first hole **Internal Drive Style:** Hexagon **Thread Diameter:** 0.250 inches **Grip Length:** Between 1.250 inches and 1.270 inches Width Across Flats: Between 0.1875 inches and 0.1900 inches Thready Qty Per Inch (tpi): 28 Distance From Head Largest Bearing Surface To Shank Hole Center: 1.349 inches first hole **Surface Finish:** 32.0 microinches **Special Features:** Retaining elements in shank Material: Steel **Surface Treatment:** Passivate

Surface Treatment Specification:

Zc00035 fscm 29372 mfr ref single treatment response

Thread Series Designator:

Unf

NSN 5305-00-061-9139

Close Tolerance Screw - Page 2 of 2



_				
c	hο	JIF.		ife:
J			_	HG.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0