## NSN 5305-00-068-1800

Machine Screw - Page 1 of 2



Machine Screw - Page 1 of 2	Gr
View Online at https://aerobasegroup.com/nsn/5305-00-068-1800	
Thread Class:	
2a	
Thread Direction:	
Right-hand	
Thread Length:	
0.551 inches	
Fastener Length:	
0.750 inches	
Head Style:	
Pan no. 2	
Head Diameter:	
Between 0.357 inches and 0.373 inches	
Head Height:	
Between 0.122 inches and 0.133 inches	
Internal Drive Style:	
Cross recess type 1	
Thread Diameter:	
0.190 inches	
Thready Qty Per Inch (tpi):	
24	
Min. Tensile Strength (psi):	
62000 pounds per square inch	
Screw Material:	
Aluminum alloy 2024 or aluminum alloy 2017	
Screw Material Specification:	
Qq-a-200/3 federal specification 1st material response or qq-a-225/6 federal specification 1st material response or qq-a-225/5 federal	al
specification 2nd material response	
Screw Surface Treatment:	
Anodize	
Screw Surface Treatment Specification:	
Mil-a-8625 military specification single treatment response	
Thread Series Designator:	
Unc	
Specification Or Standard:	
3 type and 9c style	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A500d0	

## NSN 5305-00-068-1800

Machine Screw - Page 2 of 2

## Mil-std (military Standard):

Mil-a-8625 spec.

