NSN 5305-00-082-6785

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-082-6785

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.813 inches
Fastener Length:
Between 0.813 inches and 0.875 inches
Head Style:
Pan no. 2
Head Diameter:
Between 0.256 inches and 0.270 inches
Head Height:
Between 0.087 inches and 0.097 inches
Width Between Flats:
Between 0.256 inches and 0.270 inches
Internal Drive Style:
Torque set
Thread Diameter:
0.138 inches
Thready Qty Per Inch (tpi):
32
Min. Tensile Strength (psi):
160000 pounds per square inch
Hardness Rating:
Between 24.0 rockwell c and 35.0 rockwell c
Screw Material:
Iron alloy 660
Screw Material Specification:
Ams 5737 assn standard single material response
Screw Surface Treatment:
Cadmium and chromate
Screw Surface Treatment Specification:
Qq-p-416 type 2 class 2 federal specification single treatment response
Special Features:
Dull black unicrome dip
Thread Series Designator:
Unjc
Specification Data:
80205-nas1100 professional/industrial association standard
Shelf Life:
N/a

NSN 5305-00-082-6785

Machine Screw - Page 2 of 2



			ure:	

--

Demilitarization:

No

Fiig:

A500d0