NSN 5305-00-088-9484

Machine Screw - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5305-00-088-9484

2a Thread Direction: Right-hand Thread Length: Between 0.960 inches and 1.010 inches Fastener Length: Between 0.990 inches and 1.010 inches Head Style: Fillister Head Diameter: Between 0.166 inches and 0.183 inches Head Height: Between 0.128 inches and 0.138 inches Hole Diameter: 0.046 inches Internal Drive Style: Cross recess type 1 Thread Diameter: 0.112 inches
Right-hand Thread Length: Between 0.960 inches and 1.010 inches Fastener Length: Between 0.990 inches and 1.010 inches Head Style: Fillister Head Diameter: Between 0.166 inches and 0.183 inches Head Height: Between 0.128 inches and 0.138 inches Hole Diameter: 0.046 inches Internal Drive Style: Cross recess type 1 Thread Diameter:
Thread Length: Between 0.960 inches and 1.010 inches Fastener Length: Between 0.990 inches and 1.010 inches Head Style: Fillister Head Diameter: Between 0.166 inches and 0.183 inches Head Height: Between 0.128 inches and 0.138 inches Hole Diameter: 0.046 inches Internal Drive Style: Cross recess type 1 Thread Diameter:
Between 0.960 inches and 1.010 inches Fastener Length: Between 0.990 inches and 1.010 inches Head Style: Fillister Head Diameter: Between 0.166 inches and 0.183 inches Head Height: Between 0.128 inches and 0.138 inches Hole Diameter: 0.046 inches Internal Drive Style: Cross recess type 1 Thread Diameter:
Fastener Length:Between 0.990 inches and 1.010 inchesHead Style:FillisterHead Diameter:Between 0.166 inches and 0.183 inchesHead Height:Between 0.128 inches and 0.138 inchesHole Diameter:0.046 inchesInternal Drive Style:Cross recess type 1Thread Diameter:
Between 0.990 inches and 1.010 inches Head Style: Fillister Head Diameter: Between 0.166 inches and 0.183 inches Head Height: Between 0.128 inches and 0.138 inches Hole Diameter: 0.046 inches Internal Drive Style: Cross recess type 1 Thread Diameter:
Head Style: Fillister Head Diameter: Between 0.166 inches and 0.183 inches Head Height: Between 0.128 inches and 0.138 inches Hole Diameter: 0.046 inches Internal Drive Style: Cross recess type 1 Thread Diameter:
Fillister Head Diameter: Between 0.166 inches and 0.183 inches Head Height: Between 0.128 inches and 0.138 inches Hole Diameter: 0.046 inches Internal Drive Style: Cross recess type 1 Thread Diameter:
Head Diameter: Between 0.166 inches and 0.183 inches Head Height: Between 0.128 inches and 0.138 inches Hole Diameter: 0.046 inches Internal Drive Style: Cross recess type 1 Thread Diameter:
Between 0.166 inches and 0.183 inches Head Height: Between 0.128 inches and 0.138 inches Hole Diameter: 0.046 inches Internal Drive Style: Cross recess type 1 Thread Diameter:
Head Height: Between 0.128 inches and 0.138 inches Hole Diameter: 0.046 inches Internal Drive Style: Cross recess type 1 Thread Diameter:
Between 0.128 inches and 0.138 inches Hole Diameter: 0.046 inches Internal Drive Style: Cross recess type 1 Thread Diameter:
Hole Diameter: 0.046 inches Internal Drive Style: Cross recess type 1 Thread Diameter:
0.046 inches Internal Drive Style: Cross recess type 1 Thread Diameter:
Internal Drive Style: Cross recess type 1 Thread Diameter:
Cross recess type 1 Thread Diameter:
Thread Diameter:
0.112 inches
Hole Quantity:
5
Thready Qty Per Inch (tpi):
40
Min. Tensile Strength (psi):
70000 pounds per square inch
Hardness Rating:
Between 80.0 rockwell b and 100.0 rockwell b
Screw Material:
Steel
Screw Material Specification:
Ams 5061 assn standard single material response
Screw Surface Treatment:
Cadmium
Screw Surface Treatment Specification:
Ams 2400 assn standard single treatment response
Head Hole Configuration Style:
Round
Thread Series Designator:
Unc
Shelf Life:
N/a

NSN 5305-00-088-9484

Machine Screw - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A500d0

