NSN 5305-00-127-5685

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-127-5685

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.251 inches and 0.301 inches
Fastener Length:
Between 0.449 inches and 0.479 inches
Head Style:
Flat countersunk
Head Diameter:
Between 0.280 inches and 0.337 inches
Grip Diameter:
Between 0.1625 inches and 0.1635 inches
Internal Drive Style:
Offset cruciform (torque set)
Thread Diameter:
0.164 inches
Grip Length:
Between 0.178 inches and 0.198 inches
Thready Qty Per Inch (tpi):
32
Min. Tensile Strength (psi):
160000 pounds per square inch
Countersink Angle:
Between 99.0 degrees and 101.0 degrees
Surface Finish:
32.0 microinches threads
Material:
Titanium alloy
Material Specification:
Nas 621 comp 6al-4v assn standard 1st material response or ams 4928 assn standard 2nd material response
Thread Series Designator:
Unc
Specification Data:
80205-nas1152 professional/industrial association standard
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

NSN 5305-00-127-5685

Close Tolerance Screw - Page 2 of 2

Fiig: A003b0

