NSN 5305-00-147-1985

Machine Screw - Page 1 of 1

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5305-00-147-1985

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.666 inches
Fastener Length:
Between 0.646 inches and 0.666 inches
Head Style:
Fillister
Head Diameter:
Between 0.365 inches and 0.385 inches
Head Height:
Between 0.146 inches and 0.166 inches
Hole Diameter:
0.078 inches
Internal Drive Style:
Cross recess type 1
Thread Diameter:
0.250 inches
Hole Quantity:
2
Thready Qty Per Inch (tpi):
Thready Qty Per Inch (tpi): 20
20 Hardness Rating:
20
20 Hardness Rating: Between 26.0 rockwell c and 32.0 rockwell c Screw Material:
20 Hardness Rating: Between 26.0 rockwell c and 32.0 rockwell c Screw Material: Steel comp 8740
20 Hardness Rating: Between 26.0 rockwell c and 32.0 rockwell c Screw Material: Steel comp 8740 Screw Material Specification:
20 Hardness Rating: Between 26.0 rockwell c and 32.0 rockwell c Screw Material: Steel comp 8740 Screw Material Specification: Ams 6322 assn standard single material response
20 Hardness Rating: Between 26.0 rockwell c and 32.0 rockwell c Screw Material: Steel comp 8740 Screw Material Specification: Ams 6322 assn standard single material response Head Hole Configuration Style:
20 Hardness Rating: Between 26.0 rockwell c and 32.0 rockwell c Screw Material: Steel comp 8740 Screw Material Specification: Ams 6322 assn standard single material response Head Hole Configuration Style: Round
20 Hardness Rating: Between 26.0 rockwell c and 32.0 rockwell c Screw Material: Steel comp 8740 Screw Material Specification: Ams 6322 assn standard single material response Head Hole Configuration Style: Round Thread Series Designator:
20 Hardness Rating: Between 26.0 rockwell c and 32.0 rockwell c Screw Material: Steel comp 8740 Screw Material Specification: Ams 6322 assn standard single material response Head Hole Configuration Style: Round Thread Series Designator: Unc
20 Hardness Rating: Between 26.0 rockwell c and 32.0 rockwell c Screw Material: Steel comp 8740 Screw Material Specification: Ams 6322 assn standard single material response Head Hole Configuration Style: Round Thread Series Designator: Unc Shelf Life:
20 Hardness Rating: Between 26.0 rockwell c and 32.0 rockwell c Screw Material: Steel comp 8740 Screw Material Specification: Ams 6322 assn standard single material response Head Hole Configuration Style: Round Thread Series Designator: Unc Shelf Life: N/a
20 Hardness Rating: Between 26.0 rockwell c and 32.0 rockwell c Screw Material: Steel comp 8740 Screw Material Specification: Ams 6322 assn standard single material response Head Hole Configuration Style: Round Thread Series Designator: Unc Shelf Life:
20 Hardness Rating: Between 26.0 rockwell c and 32.0 rockwell c Screw Material: Steel comp 8740 Screw Material Specification: Ams 6322 assn standard single material response Head Hole Configuration Style: Round Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure:
20 Hardness Rating: Between 26.0 rockwell c and 32.0 rockwell c Screw Material: Steel comp 8740 Steel comp 8740 Screw Material Specification: Ams 6322 assn standard single material response Head Hole Configuration Style: Round Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: Demilitarization:
20 Hardness Rating: Between 26.0 rockwell c and 32.0 rockwell c Screw Material: Steel comp 8740 Screw Material Specification: Ams 6322 assn standard single material response Head Hole Configuration Style: Round Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: Demilitarization: No
20 Hardness Rating: Between 26.0 rockwell c and 32.0 rockwell c Screw Material: Steel comp 8740 Steel comp 8740 Screw Material Specification: Ams 6322 assn standard single material response Head Hole Configuration Style: Round Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: Demilitarization: