## NSN 5305-00-151-0624

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-151-0624 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 0.619 inches and 0.750 inches **Fastener Length:** Between 0.619 inches and 0.750 inches **Head Style:** Round **Head Diameter:** Between 0.240 inches and 0.260 inches **Head Height:** 0.103 inches **Internal Drive Style:** Slot **Thread Diameter:** 0.138 inches Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 55000 pounds per square inch **Screw Material:** Copper alloy **Screw Material Specification:** Qq-b-613 federal specification single material response or qq-b-626 federal specification single material response or qq-w-321 federal specification single material response **Screw Surface Treatment:** Oxide **Screw Surface Treatment Specification:** Mil-f-495 military specification single treatment response **Thread Series Designator:** Unc **Specification Or Standard:** 1 type and 1s style Shelf Life: N/a **Unit Of Measure:** 

Fiig: A500d0

No

**Demilitarization:** 

## NSN 5305-00-151-0624

Machine Screw - Page 2 of 2



Mil-std (military Standard):

Mil-f-495 spec.