NSN 5305-00-151-1013

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-151-1013 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.667 inches **Fastener Length:** 0.750 inches **Head Style:** Flat countersunk **Head Diameter:** Between 0.249 inches and 0.279 inches **Internal Drive Style:** Slot **Thread Diameter:** 0.138 inches Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 55000 pounds per square inch **Countersink Angle:** Between 80.0 degrees and 82.0 degrees **Screw Material:** Copper alloy **Screw Material Specification:** Qq-b-613 federal specification single material response or qq-b-626 federal specification single material response or qq-w-321 federal specification single material response **Screw Surface Treatment:** Oxide **Screw Surface Treatment Specification:** Mil-f-495 military specification single treatment response **Thread Series Designator:** Unc **Specification Or Standard:** 1 type and 2s style Shelf Life: N/a **Unit Of Measure: Demilitarization:**

Fiig: A500d0

No

NSN 5305-00-151-1013

Machine Screw - Page 2 of 2



Mil-std (military Standard):

Mil-f-495 spec.