

View Online at <https://aerobasegroup.com/nsn/5305-00-151-6219>

Thread Class:

3a

Thread Direction:

Right-hand

Thread Length:

2.380 inches

Fastener Length:

2.880 inches

Head Style:

Hexagon

Head Height:

0.370 inches

Width Between Flats:

Between 0.430 inches and 0.439 inches

Hole Diameter:

0.051 inches

Point Length:

0.250 inches

Point Diameter:

Between 0.530 inches and 0.550 inches

Point Style:

Dog

Internal Drive Style:

W/o internal drive

Thread Diameter:

0.625 inches

Hole Quantity:

3

Hole Type:

Drilled

Thready Qty Per Inch (tpi):

18

Min. Tensile Strength (psi):

180000 pounds per square inch

Hole Configuration Style:

Hexagon corners

Product Name:

Navy special project

Special Features:

0.090 in. Corner radius on point flat

Material:

Steel comp 4140

Material Specification:

Mil-s-5626, cond c4 military specification single material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Dps 9.28 fscm 88277 mfr ref single treatment response

Test Data Document:

88277-dps 4.704 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-s-5626 spec.