NSN 5305-00-162-0377

Panel Screw Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-162-0377 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 0.483 inches and 0.647 inches **Fastener Length:** Between 0.535 inches and 0.605 inches **Head Style:** Knurled no. 4 **Head Diameter:** Between 0.405 inches and 0.435 inches **Head Height:** Between 0.480 inches and 0.510 inches **End Application:** Milstar system; nimitz class cvn; oliver perry **Material Accommodated Thickness:** Between 0.047 inches and 0.109 inches **Thread Diameter:** 0.164 inches Thready Qty Per Inch (tpi): 32 **Special Features:** Straight knurl Material: Steel comp 302 spring **Material Specification:** Qq-w-423 cond b federal specification single material response spring **Surface Treatment:** Passivate spring **Surface Treatment Specification:** Qq-p-35 federal specification single treatment response spring **Thread Series Designator:** Unc Shelf Life: N/a **Unit Of Measure: Demilitarization:**

No Fiig:

A003b0

NSN 5305-00-162-0377

Panel Screw Assembly - Page 2 of 2



Mil-std (military Standard):

Mil-s-5059 spec.