

View Online at <https://aerobasegroup.com/nsn/5305-00-162-4065>

Thread Class:

3a

Thread Direction:

Right-hand

Thread Length:

0.339 inches

Fastener Length:

Between 0.387 inches and 0.416 inches

Head Style:

Flat countersunk

Head Diameter:

Between 0.277 inches and 0.332 inches

Internal Drive Style:

High-torque

Thread Diameter:

0.164 inches

Thready Qty Per Inch (tpi):

32

Min. Tensile Strength (psi):

160000 pounds per square inch

Countersink Angle:

Between 99.0 degrees and 101.0 degrees

Product Name:

Navy special project

Screw Material:

Steel comp e4340 or steel comp 4140 or steel comp 8740 or steel comp 8735 or steel comp 6150

Screw Material Specification:

Mil-s-500 military specification 1st material response or mil-s-5626 military specification 2nd material response or mil-s-6049 military specification 3rd material response or mil-s-6098 military specification 4th material response or mil-s-8503 military specification 5th material response

Bearing Surface Of Head Surface Finish:

63.0 microinches

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A500d0

Mil-std (military Standard):

Mil-s-500 spec.