NSN 5305-00-163-6802

Thread Class:

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-163-6802

3a	
Thread Direction:	
Right-hand	
Thread Length:	
Between 0.251 inches and 0.301 inches	
Fastener Length:	
Between 1.199 inches and 1.229 inches	
Head Style:	
Flat chamfer	
Head Diameter:	
Between 0.221 inches and 0.226 inches	
Head Height:	
Between 0.074 inches and 0.086 inches	
Hole Diameter:	
0.038 inches	
Grip Diameter:	
Between 0.1365 inches and 0.1375 inches	
Internal Drive Style:	
Offset cruciform (torque set)	
Thread Diameter:	
0.138 inches	
Grip Length:	
Between 0.928 inches and 0.948 inches	
Thready Qty Per Inch (tpi):	
32	
Min. Tensile Strength (psi):	
160000 pounds per square inch	
Surface Finish:	
32.0 microinches threads	
Product Name:	
Navy special project	
Material Specification:	
Ams 5737 assn standard single material response	
Surface Treatment:	
Passivate	
Surface Treatment Specification:	
Qq-p-35 federal specification single treatment response	
Thread Series Designator:	
Unjc	
Specification Data:	
80205-nas1121 professional/industrial association standard	

NSN 5305-00-163-6802

Close Tolerance Screw - Page 2 of 2



		fe:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0