NSN 5305-00-182-9356

Machine Screw - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5305-00-182-9356



Thread Class: 3a **Thread Direction: Right-hand Thread Length:** Between 0.657 inches and 0.750 inches Fastener Length: Between 0.719 inches and 0.750 inches **Head Style:** Flat chamfer **Head Diameter:** Between 0.306 inches and 0.313 inches **Head Height:** Between 0.103 inches and 0.118 inches Hole Diameter: 0.038 inches **Internal Drive Style:** Torque set **Thread Diameter:** 0.190 inches **Hole Quantity:** 2 Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 140000 pounds per square inch Hardness Rating: Between 248.0 brinell standard and 341.0 brinell standard **Screw Material:** Iron alloy 660 **Screw Material Specification:** Ams 5732 assn standard single material response **Screw Surface Treatment:** Passivate **Screw Surface Treatment Specification:** Qq-p-35 federal specification single treatment response Head Hole Configuration Style: Round **Thread Series Designator:** Unjf **Specification Data:**

80205-nas1101 professional/industrial association standard

NSN 5305-00-182-9356

Machine Screw - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A500d0

