# NSN 5305-00-207-3741

Machine Screw - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5305-00-207-3741



# **Thread Class:**

3a

**Thread Direction:** 

**Right-hand** 

# Thread Length:

Between 0.368 inches and 0.514 inches

#### Fastener Length:

Between 1.016 inches and 1.061 inches

#### **Head Style:**

Flat countersunk

# Head Diameter:

Between 0.452 inches and 0.510 inches

# Internal Drive Style:

Cross recess type 1

# Thread Diameter:

0.250 inches

# Thready Qty Per Inch (tpi):

28

# Min. Tensile Strength (psi):

160000 pounds per square inch

# Hardness Rating:

Between 36.0 rockwell c and 40.0 rockwell c

# **Countersink Angle:**

Between 99.0 degrees and 101.0 degrees

# **Screw Material:**

Steel comp 8630

# **Screw Material Specification:**

Mil-s-6050 military specification single material response or an-s-9 military standard single material response

# Screw Surface Treatment:

Cadmium and chromate

# Screw Surface Treatment Specification:

Qq-p-416 type 2 cl 2 federal specification single treatment response

# **Thread Series Designator:**

Unf

#### Shelf Life:

N/a

# Unit Of Measure:

---

# Demilitarization:

No

Fiig:

A500d0

NSN 5305-00-207-3741

Machine Screw - Page 2 of 2

Mil-std (military Standard):

Mil-s-6050 spec.

