## NSN 5305-00-207-5957

Setscrew - Page 1 of 2

**Thread Class:** 

Right-hand

**Thread Direction:** 

Thread Length:

2a



View Online at https://aerobasegroup.com/nsn/5305-00-207-5957

Between 0.420 inches and 0.430 inches
Fastener Length:
0.550 inches
Head Style:
Hexagon
Head Height:
0.160 inches
Width Between Flats:
Between 0.433 inches and 0.438 inches
Hole Diameter:
0.046 inches
Point Length:
Between 0.140 inches and 0.150 inches
Point Diameter:
Between 0.202 inches and 0.205 inches
Point Style:
Flat
Internal Drive Style:
W/o internal drive
Thread Diameter:
0.250 inches
Hole Quantity:
1
Hole Type:
Drilled
Thready Qty Per Inch (tpi):
28
Min. Tensile Strength (psi):
125000 pounds per square inch
Hole Configuration Style:
Hexagon flats
Point Chamfer Angle:
60.0 degrees
Material:
Steel

**Material Specification:** 

Mil-s-6050 military specification single material response or mil-s-6758 military specification single material response

## NSN 5305-00-207-5957

Setscrew - Page 2 of 2

Mil-s-6050 spec.



Surface Treatment:
Cadmium
Surface Treatment Specification:
F-1.20 fscm 81205 mfr ref single treatment response
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A003b0
Mil-std (military Standard):