## NSN 5305-00-210-2086

Socket Head Cap Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-210-2086 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 2.688 inches **Fastener Length:** Between 5.344 inches and 5.406 inches **Head Style:** Flat chamfer **Head Diameter:** Between 0.987 inches and 1.000 inches **Head Height:** Between 0.740 inches and 0.750 inches **Hole Diameter:** 0.094 inches **Internal Drive Style:** Hexagon **Thread Diameter:** 0.750 inches Width Across Flats: 0.562 inches **Hole Quantity: Hole Type:** Drilled Thready Qty Per Inch (tpi): Min. Tensile Strength (psi): 160000 pounds per square inch **Hardness Rating:** 36.0 rockwell c and 43.0 rockwell c Minimum Yield Strength: 130000 pounds per square inch **Hole Configuration Style:** Round internal hexagon **Product Name:** Navy special project Material: Steel

**Material Specification:** 

66 federal standard single material response

## NSN 5305-00-210-2086

Socket Head Cap Screw - Page 2 of 2



Surface Treatment:
Zinc
Surface Treatment Specification:
Qq-z-325, type 2, cl 3 federal specification single treatment response
Thread Series Designator:
Unf
Specification Or Standard:
1 type
Departure From Cited Designator:
As modified by fastener length and thread length and head hole configuration
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A003b0