NSN 5305-00-235-5823



Machine Screw - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5305-00-235-5823 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.210 inches and 0.312 inches **Fastener Length:** Between 0.281 inches and 0.312 inches **Head Style:** Flat chamfer **Head Diameter:** Between 0.367 inches and 0.375 inches **Head Height:**

Between 0.133 inches and 0.150 inches

Hole Diameter:

0.064 inches

Internal Drive Style:

Torque set

Thread Diameter:

0.250 inches

Hole Quantity:

2

Thready Qty Per Inch (tpi):

Min. Tensile Strength (psi):

140000 pounds per square inch

Hardness Rating:

Between 248.0 brinell standard and 341.0 brinell standard

Screw Material:

Iron alloy 660

Screw Material Specification:

Ams 5735 assn standard single material response

Screw Surface Treatment:

Passivate

Screw Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Head Hole Configuration Style:

Round

Thread Series Designator:

Unjf

Shelf Life:

N/a

NSN 5305-00-235-5823

Machine Screw - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МА	261	ıre:

--

Demilitarization:

No

Fiig:

A500d0