NSN 5305-00-252-8991

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-252-8991 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.231 inches and 0.312 inches **Fastener Length:** Between 0.281 inches and 0.312 inches **Head Style:** Pan **Head Diameter:** Between 0.205 inches and 0.219 inches **Head Height:** Between 0.070 inches and 0.080 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.112 inches Thready Qty Per Inch (tpi): 40 Min. Tensile Strength (psi): 160000 pounds per square inch **Screw Material:** Iron alloy 660 **Screw Material Specification:** Ams 5737 assn standard single material response **Screw Surface Treatment: Passivate Screw Surface Treatment Specification:** Mil-f-14072 finish e300 military specification single treatment response **Thread Series Designator:** Unjc **Specification Data:** 80205-nas1635 professional/industrial association standard Shelf Life: N/a **Unit Of Measure: Demilitarization:**

No

Fiig:

A500d0

NSN 5305-00-252-8991

Machine Screw - Page 2 of 2



Mil-std (military Standard):

Mil-f-14072 spec.