NSN 5305-00-281-4179

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-281-4179 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 0.262 inches and 0.312 inches **Fastener Length:** Between 0.281 inches and 0.312 inches **Head Style:** Binding **Head Diameter:** Between 0.223 inches and 0.235 inches **Head Height:** Between 0.056 inches and 0.068 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.112 inches Thready Qty Per Inch (tpi): 40 Min. Tensile Strength (psi): 55000 pounds per square inch **Screw Material:** Copper alloy **Screw Material Specification:** Qq-b-613 federal specification single material response or qq-b-626 federal specification single material response or qq-w-321 federal specification single material response **Screw Surface Treatment:** Nickel **Screw Surface Treatment Specification:** Mil-p-6859 type 1 class c military specification single treatment response **Thread Series Designator:** Unc **Specification Or Standard:** 8s style and 1 type Shelf Life: N/a **Unit Of Measure:**

No

Fiig:

A500d0

Demilitarization:

NSN 5305-00-281-4179

Machine Screw - Page 2 of 2



Mil-std (military Standard):

Mil-p-6859 spec.