NSN 5305-00-330-3670

Socket Head Cap Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-330-3670 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.367 inches and 0.397 inches **Fastener Length:** Between 0.423 inches and 0.453 inches **Head Style:** Flat chamfer **Head Diameter:** Between 0.262 inches and 0.270 inches **Head Height:** Between 0.159 inches and 0.164 inches **Hole Diameter:** 0.044 inches **Internal Drive Style:** Hexagon **Thread Diameter:** 0.164 inches Width Across Flats: Between 0.141 inches and 0.143 inches **Hole Quantity: Hole Type:** Drilled Thready Qty Per Inch (tpi): Min. Tensile Strength (psi): 160000 pounds per square inch **Hardness Rating:** 36.0 rockwell c and 45.0 rockwell c Minimum Yield Strength: 130000 pounds per square inch **Hole Configuration Style:** Round **Surface Finish:** 125.0 microinches Material: Steel

Material Specification:

66 federal standard single material response

NSN 5305-00-330-3670

Socket Head Cap Screw - Page 2 of 2



Surface Treatment:
Cadmium
Surface Treatment Specification:
Qq-p-416, ty2, cl3 federal specification single treatment response
Thread Series Designator:
Unf
Specification Data:
80205-nas1351 professional/industrial association standard
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A003b0