

View Online at <https://aerobasegroup.com/nsn/5305-00-335-4364>

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Thread Length:**

0.250 inches

**Fastener Length:**

0.406 inches

**Head Style:**

Pan no. 2

**Head Diameter:**

0.438 inches

**Head Height:**

Between 0.112 inches and 0.125 inches

**Shoulder Diameter:**

0.210 inches first shoulder and 0.220 inches first shoulder

**Shoulder Length:**

0.132 inches first shoulder and 0.140 inches first shoulder

**Internal Drive Style:**

Slot

**Thread Diameter:**

0.164 inches

**Thready Qty Per Inch (tpi):**

32

**Shoulder Shape:**

Round first shoulder

**Material:**

Steel comp 1212 or steel comp 1026 or steel comp 1026 or steel comp 1025 or steel comp 1010 or steel comp 1010 or steel comp 1010 or steel comp 1020 or steel comp 1020 or steel comp 1020

**Material Specification:**

Qq-s-633 federal specification 1st material response or qq-s-630 federal specification 2nd material response or qq-s-631 federal specification 3rd material response or qq-s-634 federal specification 4th material response or qq-s-630 federal specification 5th material response or qq-s-631 federal specification 5th material response or qq-s-634 federal specification 6th material response or qq-s-630 federal specification 7th material response or qq-k-631jblqq-s-634 federal specification 8th material response

**Surface Treatment:**

Zinc

**Thread Series Designator:**

Unc

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**