NSN 5305-00-338-3302

Close Tolerance Screw - Page 1 of 2



response

View Online at https://aerobasegroup.com/nsn/5305-00-338-3302

Thread Class:	
За	
Thread Direction:	
Right-hand	
Thread Length:	
Between 0.445 inches and 0.495 inches	
Fastener Length:	
Between 0.955 inches and 0.985 inches	
Head Style:	
Flat countersunk	
Head Diameter:	
Between 0.578 inches and 0.633 inches	
Grip Diameter:	
Between 0.3115 inches and 0.3120 inches	
nternal Drive Style:	
High-torque	
Thread Diameter:	
0.312 inches	
Grip Length:	
Between 0.490 inches and 0.510 inches	
Thready Qty Per Inch (tpi):	
24	
Min. Tensile Strength (psi):	
160000 pounds per square inch	
Countersink Angle:	
Between 99.0 degrees and 101.0 degrees	
Surface Finish:	
32.0 microinches threads	
Material:	
Fitanium alloy	
Material Specification:	
Nas 621 comp 6al-4v assn standard single material response or ams 4928 assn standard single mat	erial
Thread Series Designator:	
Jnjf	
Specification Data:	
30205-nas665 professional/industrial association standard	
Shelf Life:	
N/a	
Jnit Of Measure:	
-	
Demilitarization:	
No	

NSN 5305-00-338-3302

Close Tolerance Screw - Page 2 of 2

Fiig: A003b0

