## NSN 5305-00-388-6020

Shoulder Screw - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5305-00-388-6020



#### Thread Class:

3a

**Thread Direction:** 

Right-hand

## Thread Length:

Between 0.170 inches and 0.180 inches

## Fastener Length:

0.366 inches

## Head Style:

Pan no. 2

Head Diameter:

Between 0.440 inches and 0.460 inches

## Head Height:

Between 0.094 inches and 0.099 inches

## Shoulder Diameter:

0.310 inches first shoulder and 0.312 inches first shoulder

## Shoulder Length:

0.151 inches first shoulder

## Internal Drive Style:

Slot

#### **Thread Diameter:**

0.250 inches

## Thready Qty Per Inch (tpi):

28

#### Shoulder Shape:

Round first shoulder

Material:

Steel

#### Material Specification:

Fed standard 66 federal standard single material response

#### Surface Treatment:

Passivate

#### Surface Treatment Specification:

Mil-p-16232, type m, class 2 military specification single treatment response

#### **Thread Series Designator:**

Unf

#### Shelf Life:

N/a

#### Unit Of Measure:

--

#### Demilitarization:

No

# NSN 5305-00-388-6020

Shoulder Screw - Page 2 of 2

**Fiig:** A003b0

Mil-std (military Standard):

Mil-p-16232 spec.

