NSN 5305-00-417-4956

Machine Screw - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5305-00-417-4956 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 0.699 inches and 0.792 inches **Fastener Length:** Between 0.844 inches and 0.875 inches **Head Style:** Flat countersunk **Head Diameter:** Between 0.333 inches and 0.385 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.190 inches Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 55000 pounds per square inch **Countersink Angle:** Between 99.0 degrees and 101.0 degrees **Screw Material:** Copper alloy **Screw Material Specification:** Qq-b-626 federal specification single material response or qq-w-321 federal specification single material response **Test Data Document:** 36659-lc+72-1238 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Thread Series Designator:** Unf **Specification Or Standard:** 3 type and 3c style Shelf Life: N/a **Unit Of Measure:**

No Fiig:

A500d0

Demilitarization: