# NSN 5305-00-419-4596

Machine Screw - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5305-00-419-4596



## Thread Class:

2a

**Thread Direction:** 

**Right-hand** 

#### Thread Length:

Between 1.876 inches and 2.000 inches

## Fastener Length:

Between 1.938 inches and 2.000 inches

#### Head Style:

Pan

#### Head Diameter:

Between 0.256 inches and 0.270 inches

#### **Head Height:**

Between 0.087 inches and 0.097 inches

#### Internal Drive Style:

Cross recess type 1

## Thread Diameter:

0.138 inches

## Thready Qty Per Inch (tpi):

32

#### Min. Tensile Strength (psi):

80000 pounds per square inch

## Screw Material:

Stainless steel or steel

#### **Screw Material Specification:**

Qq-s-763, 300 series federal specification 1st material response or 66, 300 series federal standard 1st material response or comp 16-18 or

18-8 assn standard 2nd material response

## Screw Surface Treatment:

Oxide

#### Screw Surface Treatment Specification:

Mil-c-13924, cl 4 military specification single treatment response

#### **Thread Series Designator:**

Unc

## **Specification Or Standard:**

3 type and 9c style

# Departure From Cited Designator:

As modified by finish

# Shelf Life:

N/a

# Unit Of Measure:

---

## Demilitarization:

No

# NSN 5305-00-419-4596

Machine Screw - Page 2 of 2

Fiig: A500d0

Mil-std (military Standard):

Mil-c-13924 spec.

