## NSN 5305-00-425-0431

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-425-0431 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 0.419 inches and 0.500 inches **Fastener Length:** Between 0.469 inches and 0.500 inches **Head Style:** Pan **Head Diameter:** Between 0.205 inches and 0.219 inches **Head Height:** Between 0.070 inches and 0.080 inches **Internal Drive Style:** Cross recess type 1 **Thread Diameter:** 0.112 inches Thready Qty Per Inch (tpi): 40 Min. Tensile Strength (psi): 80000 pounds per square inch **Screw Material:** Stainless steel **Screw Material Specification:** Qq-s-763, 300 series federal specification single material response or 66, 300 series federal standard single material response or comp 16-18 or 18-8 assn standard single material response **Screw Surface Treatment:** Oxide and enamel **Screw Surface Treatment Specification:** Mil-c-13924 class 1 military specification 1st treatment response and mil-e-15090 type 3, class 2 military specification 2nd treatment response Color: Gray **Thread Series Designator:** Unc Shelf Life: N/a **Unit Of Measure:** 

Fiig: A500d0

No

**Demilitarization:** 

## NSN 5305-00-425-0431

Machine Screw - Page 2 of 2



Mil-std (military Standard):

Mil-c-13924 spec.