## NSN 5305-00-450-5971

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-450-5971 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.352 inches and 0.402 inches **Fastener Length:** Between 1.050 inches and 1.080 inches **Head Style:** Flat countersunk **Head Diameter:** Between 0.412 inches and 0.439 inches **Grip Diameter:** Between 0.2490 inches and 0.2495 inches **Internal Drive Style:** Offset cruciform (torque set) **Thread Diameter:** 0.250 inches **Grip Length:** Between 0.678 inches and 0.698 inches Thready Qty Per Inch (tpi): 28 Min. Tensile Strength (psi): 160000 pounds per square inch **Countersink Angle:** 60.0 degrees **Surface Finish:** 32.0 microinches threads **Special Features:** Bearing surface of head to be grooved to 0.323 in. Min 0.325 in. Maximum dia, 0.050 in. Min 0.055 in. Maximum from top of head Material: Titanium alloy uns r54520 **Material Specification:** Nas 621, 6al-4v assn standard single material response **Thread Series Designator:** Unjf Shelf Life: N/a

**Demilitarization:** No

**Unit Of Measure:** 

## NSN 5305-00-450-5971

Close Tolerance Screw - Page 2 of 2



Fiig:

A003b0