# NSN 5305-00-455-2551

Machine Screw - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5305-00-455-2551



## **Thread Class:**

2a

**Thread Direction:** 

Right-hand

## Thread Length:

Between 0.449 inches and 0.542 inches

#### Fastener Length:

Between 0.594 inches and 0.625 inches

#### **Head Style:**

Flat countersunk

## Head Diameter:

Between 0.244 inches and 0.279 inches

## Internal Drive Style:

Cross recess type 1

## Thread Diameter:

0.138 inches

## Thready Qty Per Inch (tpi):

32

## Min. Tensile Strength (psi):

80000 pounds per square inch

## Countersink Angle:

Between 80.0 degrees and 82.0 degrees

## Screw Material:

Stainless steel or steel

## Screw Material Specification:

Qq-s-763, 300 series federal specification 1st material response or 66, 300 series federal standard 1st material response or comp 16-18 or

18-8 assn standard 2nd material response

## Screw Surface Treatment:

Oxide

## Screw Surface Treatment Specification:

Mil-c-13924, cl 4 military specification single treatment response

## Thread Series Designator:

Unc

## **Specification Or Standard:**

3st2c type

# Departure From Cited Designator:

As mod by finish

# Shelf Life:

N/a

# Unit Of Measure:

---

## Demilitarization:

No

# NSN 5305-00-455-2551

Machine Screw - Page 2 of 2

**Fiig:** A500d0

Mil-std (military Standard):

Mil-c-13924 spec.

