NSN 5305-00-465-5491

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-465-5491 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.333 inches and 0.400 inches **Fastener Length:** Between 2.593 inches and 2.640 inches **Head Style:** Flat countersunk **Head Diameter:** Between 0.573 inches and 0.635 inches **Grip Diameter:** Between 0.3108 inches and 0.3117 inches **Internal Drive Style:** High-torque **Thread Diameter:** 0.312 inches **Grip Length:** Between 2.240 inches and 2.260 inches Thready Qty Per Inch (tpi): 24 Min. Tensile Strength (psi): 260000 pounds per square inch Hardness Rating: 51.0 rockwell c and 54.0 rockwell c **Countersink Angle:** Between 99.0 degrees and 101.0 degrees **Product Name:** Navy special project Material: Steel **Material Specification:** Sps-m-107, standard pressed steel co mfr ref single material response **Surface Treatment:** Cadmium **Surface Treatment Specification:** Mil-c-8837, type 1, cl 2 military specification single treatment response **Thread Series Designator:** Unjf

Shelf Life: N/a

NSN 5305-00-465-5491

Close Tolerance Screw - Page 2 of 2



U	n	it	Of	Μe	eas	ur	e:

--

Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-c-8837 spec.