NSN 5305-00-469-3627



Shoulder Screw - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5305-00-469-3627 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.276 inches **Fastener Length:** Between 0.985 inches and 1.015 inches **Head Style:** Flat chamfer **Head Diameter:** Between 0.345 inches and 0.355 inches **Head Height:** Between 0.103 inches and 0.118 inches **Shoulder Diameter:** 0.2485 inches first shoulder and 0.2490 inches first shoulder **Shoulder Length:** 0.225 inches first shoulder and 0.230 inches first shoulder **Hole Diameter:** 0.038 inches **Internal Drive Style:** Offset cruciform (torque set) **Thread Diameter:** 0.190 inches **Hole Quantity:** 4 **Hole Type:** Drilled Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 220000 pounds per square inch **Hole Configuration Style:** Round **Shoulder Shape:** Round first shoulder **Special Features:** Shoulder 16 microinch finish

Material:

Steel comp h11

Surface Treatment: Cadmium head

NSN 5305-00-469-3627

Shoulder Screw - Page 2 of 2



Nas 672 assn standard single treatment response threads

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0