# NSN 5305-00-469-5382

Machine Screw - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5305-00-469-5382



#### **Thread Class:**

2a

**Thread Direction:** 

Right-hand

# Thread Length:

Between 0.407 inches and 0.500 inches

# Fastener Length:

Between 0.469 inches and 0.500 inches

## Head Style:

Pan

Head Diameter:

Between 0.256 inches and 0.270 inches

# Head Height:

Between 0.087 inches and 0.097 inches

# Internal Drive Style:

Cross recess type 1

## Thread Diameter:

0.138 inches

# Thready Qty Per Inch (tpi):

32

#### Min. Tensile Strength (psi):

80000 pounds per square inch

#### Screw Material:

Stainless steel or steel

#### Screw Material Specification:

Qq-s-763, 300 series federal specification 1st material response or 66, 300 series federal standard 1st material response or comp 16-18 or

18-8 assn standard 2nd material response

### Screw Surface Treatment:

Oxide

#### Screw Surface Treatment Specification:

Mil-c-13924, cl 4 military specification single treatment response

#### **Thread Series Designator:**

Unc

#### **Specification Or Standard:**

3 type and 9c style

#### Shelf Life:

N/a

#### Unit Of Measure:

---

#### Demilitarization:

No

# Fiig:

A500d0

NSN 5305-00-469-5382

Machine Screw - Page 2 of 2

# Mil-std (military Standard):

Mil-c-13924 spec.

