NSN 5305-00-500-6397

Close Tolerance Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-500-6397

Thread Clas	S:
3a	
Thread Direc	stion:
Right-hand	
Thread Leng	ith:
Between 0.3 ²	14 inches and 0.364 inches
Fastener Lei	ngth:
Between 0.5	12 inches and 0.542 inches
Head Style:	
Pan	
Head Diame	ter:
Between 0.36	60 inches and 0.370 inches
Head Height	:
Between 0.12	22 inches and 0.133 inches
Grip Diamet	er:
Between 0.18	385 inches and 0.1895 inches
Internal Driv	e Style:
High-torque	
Thread Diam	neter:
0.190 inches	
Grip Length	
Between 0.17	78 inches and 0.198 inches
Thready Qty	Per Inch (tpi):
32	
Min. Tensile	Strength (psi):
180000 poun	ds per square inch
Hardness Ra	ating:
40.0 rockwell	c and 44.0 rockwell c
Surface Fini	sh:
32.0 microind	hes threads
Material:	
Steel	
Material Spe	cification:
Mil-s-5000 m	ilitary specification single material response or mil-s-6049 military specification single material response
Surface Trea	atment:
Cadmium	
Surface Trea	atment Specification:
Qq-p-416 typ	be 2 cl 2 federal specification single treatment response
Thread Serie	es Designator:
Unjf	
Shelf Life:	
N/a	

NSN 5305-00-500-6397

Close Tolerance Screw - Page 2 of 2

AeroBase Group

Unit Of Measure:

Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-s-5000 spec.