# NSN 5305-00-503-5617

Machine Screw - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5305-00-503-5617



## **Thread Class:**

2a

**Thread Direction:** 

**Right-hand** 

# Thread Length:

Between 0.032 inches and 0.125 inches

## Fastener Length:

Between 0.094 inches and 0.125 inches

#### Head Style:

Pan

Head Diameter:

Between 0.256 inches and 0.270 inches

#### **Head Height:**

Between 0.087 inches and 0.097 inches

# Internal Drive Style:

Cross recess type 1

# Thread Diameter:

0.138 inches

# Thready Qty Per Inch (tpi):

32

# Min. Tensile Strength (psi):

80000 pounds per square inch

# Screw Material:

Stainless steel

# **Screw Material Specification:**

Qq-s-763, 300 series federal specification single material response or 66, 300 series federal standard single material response or comp

16-18 or 18-8 assn standard single material response

# Screw Surface Treatment:

Oxide

# Screw Surface Treatment Specification:

Mil-c-13924, cl 4 military specification single treatment response

# **Thread Series Designator:**

Unc

# **Specification Or Standard:**

3 type and 9c style

# Shelf Life:

N/a

# Unit Of Measure:

--

# Demilitarization:

No

# Fiig:

A500d0

NSN 5305-00-503-5617

Machine Screw - Page 2 of 2

Mil-std (military Standard):

Mil-c-13924 spec.

