NSN 5305-00-514-8997

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-514-8997 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.252 inches **Fastener Length:** 0.312 inches **Head Style:** Oval countersunk **Head Diameter:** Between 0.335 inches and 0.350 inches **Internal Drive Style:** Slot **Thread Diameter:** 0.250 inches Thready Qty Per Inch (tpi): 28 **Hardness Rating:** Between 43.0 rockwell d and 47.0 rockwell d **Countersink Angle:** Between 89.0 degrees and 91.0 degrees **Screw Material:** Steel comp 1035 **Screw Material Specification:** Qq-s-634 federal specification single material response **Screw Surface Treatment:** Phosphate **Screw Surface Treatment Specification:** Mil-p-16232 military specification single treatment response **Special Features:** 0.031 in. By 45.0 degrees chamfer at end of shank **Thread Series Designator:**

Unf Shelf Life: N/a **Unit Of Measure: Demilitarization:** No Fiig: A500d0

NSN 5305-00-514-8997

Machine Screw - Page 2 of 2



Mil-std (military Standard):

Mil-p-16232 spec.