NSN 5305-00-579-1269



Machine Screw - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5305-00-579-1269 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 0.364 inches and 0.438 inches **Fastener Length:** Between 0.406 inches and 0.438 inches **Head Style:** Fillister **Head Diameter:** Between 0.145 inches and 0.161 inches **Head Height:** Between 0.064 inches and 0.070 inches **Hole Diameter:** 0.037 inches **Internal Drive Style:** Slot **Thread Diameter:** 0.099 inches **Hole Quantity:** Thready Qty Per Inch (tpi): Min. Tensile Strength (psi): 80000 pounds per square inch **Screw Material:** Steel comp 302 or steel comp 303se or steel comp 304 or steel comp 316 **Screw Material Specification:** 66 federal standard all material responses **Screw Surface Treatment: Passivate Screw Surface Treatment Specification:** Qq-p-35 federal specification single treatment response **Head Hole Configuration Style:** Round **Thread Series Designator:** Unc **Specification Or Standard:** 1 type and 5s style

Shelf Life:

N/a

NSN 5305-00-579-1269

Machine Screw - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A500d0