# NSN 5305-00-616-6937

Machine Screw - Page 1 of 1

View Online at https://aerobasegroup.com/nsn/5305-00-616-6937



# Thread Class:

3a

**Thread Direction:** 

**Right-hand** 

# Thread Length:

Between 0.500 inches and 0.578 inches

#### Fastener Length:

Between 3.516 inches and 3.562 inches

#### **Head Style:**

Flat countersunk

# Head Diameter:

Between 0.447 inches and 0.507 inches

# Internal Drive Style:

Cross recess type 1

#### **Thread Diameter:**

0.250 inches

# Thready Qty Per Inch (tpi):

28

# Min. Tensile Strength (psi):

125000 pounds per square inch

# Countersink Angle:

Between 99.0 degrees and 101.0 degrees

# **Screw Material:**

Steel comp 8630 or steel comp 4037

# Screw Material Specification:

Mil-s-6050 military specification 1st material response or ams 6300 assn standard 2nd material response

# **Screw Surface Treatment:**

Cadmium

# Screw Surface Treatment Specification:

Qq-p-416 type 2 class 3 federal specification single treatment response

# Thread Series Designator:

Unf

Shelf Life:

N/a

#### Unit Of Measure:

--

# Demilitarization:

No

Fiig:

A500d0

# Mil-std (military Standard):

Mil-s-6050 spec.