NSN 5305-00-637-6641

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-637-6641

Thread Class:

Thread Class:							
1a							
Thread Direction:							
Right-hand							
Thread Length:							
Between 0.553 inches and 0.615 inches							
Fastener Length:							
Between 0.615 inches and 0.635 inches							
Head Style:							
Fillister							
Head Diameter:							
Between 0.108 inches and 0.226 inches							
Head Height:							
Between 0.144 inches and 0.154 inches							
Hole Diameter:							
0.046 inches							
Internal Drive Style:							
Slot							
Thread Diameter:							
0.138 inches							
Hole Quantity:							
2							
Thready Qty Per Inch (tpi):							
32							
Min. Tensile Strength (psi):							
70000 pounds per square inch							
70000 pounds per square inch							
70000 pounds per square inch Hardness Rating:							
Hardness Rating:							
Hardness Rating: Between 80.0 rockwell b and 100.0 rockwell b							
Hardness Rating: Between 80.0 rockwell b and 100.0 rockwell b Screw Material:							
Hardness Rating: Between 80.0 rockwell b and 100.0 rockwell b Screw Material: Steel							
Hardness Rating: Between 80.0 rockwell b and 100.0 rockwell b Screw Material: Steel Screw Material Specification:							
Hardness Rating: Between 80.0 rockwell b and 100.0 rockwell b Screw Material: Steel Screw Material Specification: Ams 5061 assn standard single material response							
Hardness Rating: Between 80.0 rockwell b and 100.0 rockwell b Screw Material: Steel Screw Material Specification: Ams 5061 assn standard single material response Screw Surface Treatment:							
Hardness Rating: Between 80.0 rockwell b and 100.0 rockwell b Screw Material: Steel Screw Material Specification: Ams 5061 assn standard single material response Screw Surface Treatment: Cadmium							
Hardness Rating: Between 80.0 rockwell b and 100.0 rockwell b Screw Material: Steel Screw Material Specification: Ams 5061 assn standard single material response Screw Surface Treatment: Cadmium Screw Surface Treatment Specification:							
Hardness Rating: Between 80.0 rockwell b and 100.0 rockwell b Screw Material: Steel Screw Material Specification: Ams 5061 assn standard single material response Screw Surface Treatment: Cadmium Screw Surface Treatment Specification: Ams 2400 assn standard single treatment response							
Hardness Rating: Between 80.0 rockwell b and 100.0 rockwell b Screw Material: Steel Screw Material Specification: Ams 5061 assn standard single material response Screw Surface Treatment: Cadmium Screw Surface Treatment Specification: Ams 2400 assn standard single treatment response Head Hole Configuration Style:							
Hardness Rating: Between 80.0 rockwell b and 100.0 rockwell b Screw Material: Steel Screw Material Specification: Ams 5061 assn standard single material response Screw Surface Treatment: Cadmium Screw Surface Treatment Specification: Ams 2400 assn standard single treatment response Head Hole Configuration Style: Round							

N/a

NSN 5305-00-637-6641

Machine Screw - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A500d0