NSN 5305-00-637-7206

Thread Class:

Right-hand

Thread Direction:

За

Socket Head Cap Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-637-7206

Thread Length:
1.500 inches
Fastener Length:
2.000 inches
Head Style:
Flat chamfer
Head Diameter:
Between 0.739 inches and 0.750 inches
Head Height:
Between 0.490 inches and 0.500 inches
Hole Diameter:
0.070 inches
Internal Drive Style:
Hexagon
Thread Diameter:
0.500 inches
Width Across Flats:
Between 0.375 inches and 0.378 inches
Hole Quantity:
2
Hole Type:
Drilled
Thready Qty Per Inch (tpi):
13
Hardness Rating:
naraneos rating.
36.0 rockwell c and 43.0 rockwell c
36.0 rockwell c and 43.0 rockwell c
36.0 rockwell c and 43.0 rockwell c Minimum Yield Strength:
36.0 rockwell c and 43.0 rockwell c Minimum Yield Strength: 140000 pounds per square inch
36.0 rockwell c and 43.0 rockwell c Minimum Yield Strength: 140000 pounds per square inch Hole Configuration Style:
36.0 rockwell c and 43.0 rockwell c Minimum Yield Strength: 140000 pounds per square inch Hole Configuration Style: Round
36.0 rockwell c and 43.0 rockwell c Minimum Yield Strength: 140000 pounds per square inch Hole Configuration Style: Round Material:
36.0 rockwell c and 43.0 rockwell c Minimum Yield Strength: 140000 pounds per square inch Hole Configuration Style: Round Material: Steel comp 4135 or steel comp 4137 or steel comp 8640
36.0 rockwell c and 43.0 rockwell c Minimum Yield Strength: 140000 pounds per square inch Hole Configuration Style: Round Material: Steel comp 4135 or steel comp 4137 or steel comp 8640 Material Specification:
36.0 rockwell c and 43.0 rockwell c Minimum Yield Strength: 140000 pounds per square inch Hole Configuration Style: Round Material: Steel comp 4135 or steel comp 4137 or steel comp 8640 Material Specification: Qq-s-624 federal specification all material responses
36.0 rockwell c and 43.0 rockwell c Minimum Yield Strength: 140000 pounds per square inch Hole Configuration Style: Round Material: Steel comp 4135 or steel comp 4137 or steel comp 8640 Material Specification: Qq-s-624 federal specification all material responses Surface Treatment:
36.0 rockwell c and 43.0 rockwell c Minimum Yield Strength: 140000 pounds per square inch Hole Configuration Style: Round Material: Steel comp 4135 or steel comp 4137 or steel comp 8640 Material Specification: Qq-s-624 federal specification all material responses Surface Treatment: Zinc and chromate
36.0 rockwell c and 43.0 rockwell c Minimum Yield Strength: 140000 pounds per square inch Hole Configuration Style: Round Material: Steel comp 4135 or steel comp 4137 or steel comp 8640 Material Specification: Qq-s-624 federal specification all material responses Surface Treatment: Zinc and chromate Surface Treatment Specification:

NSN 5305-00-637-7206

Socket Head Cap Screw - Page 2 of 2



Thread Series Designator:
Unc
Specification Or Standard:
1 type and 11 style
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

Fiig:

A003b0