## NSN 5305-00-639-8161

Machine Screw - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5305-00-639-8161



## **Thread Class:**

2a

**Thread Direction:** 

**Right-hand** 

## Thread Length:

Between 0.554 inches and 0.625 inches

#### Fastener Length:

0.625 inches

#### **Head Style:**

Fillister

#### Head Diameter:

Between 0.389 inches and 0.414 inches

#### **Head Height:**

Between 0.161 inches and 0.170 inches

#### Hole Diameter:

0.062 inches

#### Internal Drive Style:

Slot

#### **Thread Diameter:**

0.250 inches

## Hole Quantity:

1

## Thready Qty Per Inch (tpi):

28

## Min. Tensile Strength (psi):

80000 pounds per square inch

## **Screw Material:**

Steel comp 302 or steel comp 303 or steel comp 304 or steel comp 305 or steel comp 316

## **Screw Material Specification:**

66 federal standard all material responses

## Screw Surface Treatment:

Passivate

## Screw Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

## Head Hole Configuration Style:

Round

**Thread Series Designator:** 

Unf

Shelf Life:

N/a

#### Unit Of Measure:

---

# NSN 5305-00-639-8161

Machine Screw - Page 2 of 2

Demilitarization:

No

Fiig:

A500d0

