NSN 5305-00-707-3651

Machine Screw - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-707-3651

Thread Class:	
3a	
Thread Direction	:
Right-hand	
Thread Length:	
0.407 inches	
Fastener Length	:
Between 3.015 in	ches and 3.062 inches
Head Style:	
Flat countersunk	
Head Diameter:	
Between 0.327 in	ches and 0.385 inches
Internal Drive St	yle:
Cross recess type	1
Thread Diamete	:
0.190 inches	
Thready Qty Per	Inch (tpi):
32	
Min. Tensile Stre	ngth (psi):
125000 pounds p	er square inch
Hardness Rating	:
Between 26.0 roc	kwell c and 32.0 rockwell c
Countersink Ang	le:
Between 99.0 de	rees and 101.0 degrees
Screw Material:	
Steel comp 8740	or steel comp 8630
Screw Material S	pecification:
Mil-s-6049 militar	v specification 1st material response or mil-s-6050 military specification 2nd material response
Screw Surface T	reatment:
Cadmium and ch	omate
Screw Surface T	reatment Specification:
Qq-p-416, type 2	, cl 3 federal specification all treatment responses
Thread Series D	esignator:
Unf	
Shelf Life:	
N/a	
Unit Of Measure	
Demilitarization	
No	
Fiig:	
A500d0	

NSN 5305-00-707-3651

Machine Screw - Page 2 of 2

Mil-std (military Standard):

Mil-s-6049 spec.

