NSN 5305-00-762-2220

Setscrew - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5305-00-762-2220

Thread Class:
3a There I Bire stiens
Thread Direction:
Right-hand There all the rights
Thread Length:
Between 0.450 inches and 0.470 inches
Fastener Length:
Between 0.450 inches and 0.470 inches
Head Style:
Knurled no. 1
Head Diameter:
Between 0.218 inches and 0.226 inches
Head Height:
Between 0.134 inches and 0.138 inches
Hole Diameter:
0.046 inches
Point Length:
0.120 inches
Point Style:
Flat
Internal Drive Style:
Hexagon
Thread Diameter:
0.138 inches
Width Across Flats:
Between 0.109 inches and 0.111 inches
Hole Quantity:
2
Hole Type:
Drilled
Thready Qty Per Inch (tpi):
32
Hardness Rating:
36.0 rockwell c and 43.0 rockwell c
Hole Configuration Style:
Round
Point Chamfer Angle:
0.12 degrees
Material:
Steel comp 1010 or steel comp 1011 or steel comp 1013 or steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018
or steel comp 1019 or steel comp 1020 or steel comp 1022 or steel comp 1212 or steel comp 1213 or steel comp 1137

66 federal standard all material responses

Material Specification:

NSN 5305-00-762-2220

Setscrew - Page 2 of 2



	tment	

Cadmium or chromate

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0